

VOGA SPORT S

PAGE 1 / 3

VOGEL SYSTEMS Technical data sheet

Date / Revised: 19.09.2018

Product: VOGA SPORT S

Version: 1.0

Date of print 20.09.2018

1. Identification

Product identifier

VOGA SPORT S

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Product for construction chemicals

Recommended use: for industrial and professional users



Details of the supplier of the safety data sheet

Company:

VOGEL SYSTEMS

Operating Division Construction Chemicals

E-mail address: info@vogel-systems.de

Emergency telephone number

International emergency number

**Acrylic emulsion with silica sand designed for filling and
smoothing Sport Floors & Plaster**

DESCRIPTION

VOGA SPORT S An Acrylic Resurfaces With Sand For Filling And Smoothing Sport Floors . also it can be used as a decorative plaster for exterior and interior surfaces.

APPLICATION FIELDS

VOGA SPORT S can be used for:

- 1.Tennis courts and basketball courts
- 2.Walkways.
- 3.asphalt or concrete surfaces.
- 4.Multi-purpose athletic courts.

ADVANTAGES

- 1.Water resistant.
- 2.UV-resistant.
- 3.Easy applied.
- 4.resistance against abrasion
- 5.Superior adhesion qualities.
- 6.Fills and seals holes, voids.

APPLICATION INSTRUCTIONS

VOGA SPORT S must be applied to a clean, dry substrate free from laitance, dust, dirt, oil, grease and other contaminants.

APPLICATION

- Apply a tight, thin coat over the entire surface and then double back with a second application.
- Plan the works completely finish one operation and avoid jointing.
- Allow the finish to stiffen before texture with either a sponge or a trowel.
- If the surface is hot or material starts to drag dampen the surface with clean water.
- It is applied as a putty , it can be over coated with **VOGA CUSHION** or **VOGA SPORT P**

CLEANING

Tools and equipment should be cleaned, immediately after use, with water. Once product cures, this can only be removed by mechanical means.

CONSUMPTION

Estimated consumption for **VOGA SPORT S** is 1.5 kg/m² /1mm. thick
 max. thickness 5 mm.

PACKAGING

VOGA SPORT S is supplied in 20 kg .sacks.

Date of print 20.09.2018

TECHNICAL DATA

Product properties(AT 20°C)	
Denisty	1.4 ± 0.1 gm/cm ³
specific gravity	1.35 ± 0.1
Appearance	Colored paste
Flexibility	Flexible
Adhesion	Excellent
Fungus resistance	No fungus growth.
Moisture resistance	No change.
Salt Spray Resistance	300 hours – no effect

STORAGE

Twenty four months in its unopened original packaging. Store in a cool, dry and covered place, protected from moisture , frost and direct sunlight,with temperatures between 5 °C and 30 °C.

SAFETY AND HEALTH

VOGA SPORT S is a low toxicity product but direct contact with skin and eyes must be avoided . Use rubber gloves and safety goggles when handling, mixing and applying the product .