

VOGABOND

PAGE 1 / 3

VOGEL SYSTEMS Technical data sheet
Date / Revised: 19.09.2018
Product: **VOGABOND**

Version: 1.0

Date of print 20.09.2018

1. Identification

Product identifier

VOGABOND

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Product for construction chemicals
Recommended use: for industrial and professional users



Details of the supplier of the safety data sheet

Company:
VOGEL SYSTEMS
Operating Division Construction Chemicals

E-mail address: info@vogel-systems.de

Emergency telephone number

International emergency number

Date of print 20.09.2018

WATER RESISTANT BONDING AGENT

DESCRIPTION

VOGABOND is a efficient highlyemulsion that increases the efficiency of cement mortar such as:Repair mortar and floor lining resistant to corrosion and wear.Building mortar (stone and brick).Plastering, whitewashing, concrete repair and restoration works, tile and ceramic adhesive mortar as a bonding mortar between new and old concrete.

APPLICATION FIELDS

- **VOGABOND** is added to the mixing water to give it the following properties:
- Very good adhesion strength and higher flexibility.
- Increased resistance to corrosion and wear.
- Non-toxic.
- Reduced shrinkage, high resistance and water insulation.
- Increased resistance to chemicals.

ADVANTAGES

1. Excellent adhesion & walkability .
2. Good chemical resistance.
3. stable and non-degradable
4. Pourable & self-leveling.
5. Solvent-free, non-toxic and nonflammable. Environment friendly.

TECHNICAL DATA

Product properties	
Colour and appearance	Milky liquid
Density	1,02 ± 0,03
pH	9 ± 1
Temperature for application and curing (°C)	>5

PACKAGING

VOGABOND is supplied in 25 kg .

CLEANING

Tools and equipment should be cleaned, immediately after use, with solvent.
Once product cures, this can only be removed by mechanical means.

STORAGE

Twelve months in its unopened original packaging. Store in a cool, dry and covered place, protected from moisture , frost and direct sunlight , with temperatures between 5 °C and 30 °C.

SAFETY AND HEALTH

VOGABOND is a low toxicity product but direct contact with skin and eyes must be avoided , Use rubber gloves and safety goggles when handling, mixing and applying the product.